Product datasheet

Specifications

Green Premium™

Lisse - data socket - 2 gang RJ45 Cat 6

Local distributor code:
400239277   GGBL7072C6S

EAN Code: 3606480642005

Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Data socket
Device Presentation	Complete product
Data Socket Type	RJ45 - category 6
Colour Tint	Matt white
Quantity Per Set	Set of 1
Type Of Packing	Bag

Complementary

Number Of Gangs	2 gangs
Communication Network Type	RJ45
Fixing Mode	By screws
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Type Of Installation	Indoor
Depth	36 mm
Width	87 mm
Height	87 mm
Net Weight	0.056 kg

Environment

Standards	ANSI/TIA-568-C.2 BS EN 41003
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.8 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm

Package 1 Weight	89.6 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.4 cm
Package 2 Width	18.2 cm
Package 2 Length	22.5 cm
Package 2 Weight	991.2 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	200
Package 3 Height	39 cm
Package 3 Width	48 cm
Package 3 Length	50 cm
Package 3 Weight	20.594 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations