# **Product datasheet**

Specifications





(!) Discontinued

## Blown fuse signalling contact, TeSys GS, 1st C/O, for GS1 GS2 4 poles 250-400 A, DIN fuse size 1-2

Local distributor code: 402716905 GS1

GS1AF44

(!) Discontinued on: 9 Feb 2023

EAN Code: 3389110563351

#### Main

TeSys	
GS1AF	
Auxiliary contact	
Blown fuse signalling	
1 C/O	
Instantaneous	
16 A (at 40 °C)	
12 A at 24 V DC-13 2 A at 48 V DC-13 3 A at 400 V AC-15 4 A at 230 V AC-15 0.4 A at 220 V DC-13 0.6 A at 110 V DC-13	

### Complementary

Range Compatibility	TeSys TeSys GS fuse-switch disconnector
Mechanical Durability	30000 cycles
Electrical Durability	30000 cycles AC-15
Product Compatibility	GS
Poles Description	4P
Switch Rated Current	400 A 250 A
Fuse Type	DIN NFC
Fuse Size	2 1
Net Weight	0.032 kg

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	14.0 cm

Package 1 Length	25.0 cm
Package 1 Weight	45.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	4
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	280.0 g

# Contractual warranty

Warranty

18 months

## Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

## Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information