Product datasheet

Specifications





Auxiliary contacts, TeSys GS, 1 NC, early break, front mounting, for GS2 with front/side handle

Local distributor code: 386284621

GS1AM101

EAN Code: 3389110181784

Main

Range Of Product	TeSys	
Device Short Name	GS1AM	
Product Or Component Type	Auxiliary contact	
Contact Application	O, I and test position signalling	
Range Compatibility	TeSys TeSys GS fuse-switch disconnector FuPact FuPacT GS fuse-switch disconnector	
Contacts Type And Composition	1 NC	
Contact Operation	Early-break	
[Ith] Conventional Free Air Thermal Current	10 A (at 40 °C)	
[le] Rated Operational Current	6 A at 120 V AC-15 3 A at 240 V AC-15 1.8 A at 400 V AC-15 1.5 A at 480 V AC-15 2.8 A at 24 V DC-13 1.4 A at 48 V DC-13 0.55 A at 125 V DC-13 0.27 A at 250 V DC-13 0.15 A at 400 V DC-13	

Complementary

Mechanical Durability	5 Mcycles
Electrical Durability	1 Mcycles AC-15
Switch Rated Current	30 A
	32 A
	50 A
	60 A
	63 A
	100 A
	125 A
	160 A
	200 A
	250 A
	315 A
	400 A
	600 A
	630 A
	800 A
	1250 A
Fuse Type	NFC
	DIN
	BS
	CC
	J
Type Of Operating Handle	External frontal
	External right side
	External left side

Life Is On Schneider

Mounting Location	Front face
Net Weight	0.015 kg

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	6 cm
Package 1 Length	8 cm
Package 1 Weight	13 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	10
Package 2 Height	15 cm
Package 2 Width	15 cm
Package 2 Length	40 cm
Package 2 Weight	312 g

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information