Product datasheet

Specifications



SPRING FIXING BRACKET KN

Local distributor code: 389352602

KNB160ZFPU

EAN Code: 3606480006401

Main

Range Of Product	Canalis
Product Name	KN
Product Or Component Type	Fixing bracket
Product Compatibility	KN
Fixing Device Mounting	Suspended on threaded rod
Maximum Load	100 kg
Quantity Per Set	Set of 10

Complementary

Accessory / Separate Part Category	Fixing accessory
Width	33 mm
Depth	61 mm
Height	272 mm
Net Weight	260 g

Environment

Standards	IEC 61439-6
	IEC 60439-2

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	26.900 cm
Package 1 Width	3.300 cm
Package 1 Length	6.000 cm
Package 1 Weight	280.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	13.000 cm
Package 2 Width	20.000 cm
Package 2 Length	29.000 cm
Package 2 Weight	4.700 kg

Unit Type Of Package 3	P06
Number Of Units In Package 3	400
Package 3 Height	75.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	121.000 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Eu Rohs Directive	Compliant EU RoHS Declaration
Reach Regulation	REACh Declaration
Halogen Free Product	
Rohs Exemption Information	Yes
Mercury Free	
Toxic Heavy Metal Free	
Reach Free Of Svhc	