# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



# TeSys F - contactor coil - LX4FF -110 V DC

Local distributor code: 402982409

LX4FF110

! Discontinued on: 29 Sept 2023

EAN Code: 3389110083507

# ① To be discontinued

### Main

Range	TeSys	
Product Or Component Type	Contactor coil	
Device Short Name	LX4FF	
Range Compatibility	TeSys TeSys F LC1F contactor	
Product Compatibility	LC1F115 LC1F150	
Control Circuit Type	DC low consumption	
[Uc] Control Circuit Voltage	110 V DC	
Inductance Of Closed Circuit	179 H	
Average Resistance	21.7 Ohm inrush at 20 °C 2940 Ohm holding at 20 °C	
Operating Time	3040 ms closing 3050 ms opening	
Mechanical Durability	10 Mcycles	
Maximum Operating Rate	2400 cyc/h 55 °C	

# Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational: 0.851.1 Uc (at 55 °C) Drop-out: 0.150.2 Uc (at 55 °C)
Inrush Power In W	560 W (at 20 °C)
Hold-In Power Consumption In W	4.5 W at 20 °C

### **Environment**

Ambient Air Temperature For Operation	-555 °C
Net Weight	0.43 kg

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.3 cm
Package 1 Width	10.5 cm
Package 1 Length	17.7 cm

Package 1 Weight	510.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	14
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.565 kg

# **Contractual warranty**

Warranty 18 months

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance

	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration