

TeSys F - specific contactor coil -120...127 V AC 40...400 Hz low consumption

Local distributor code: 402992790

LX9FF127

! Discontinued on: 29 Sept 2023

! To be discontinued

EAN Code: 3389110248418

Main

| Range | TeSys |
|------------------------------|--|
| Product Or Component Type | Specific contactor coil |
| Device Short Name | LX9FF |
| Range Compatibility | TeSys TeSys F LC1F contactor |
| Product Compatibility | LC1F150 LC1F115 |
| Control Circuit Type | AC at 40400 Hz low consumption |
| [Uc] Control Circuit Voltage | 120127 V AC 40400 Hz |
| Inductance Of Closed Circuit | 2.65 H |
| Average Resistance | 19 Ohm inrush at 20 °C 746 Ohm holding at 20 °C |
| Operating Time | 130 ms opening 35 ms closing |
| Mechanical Durability | 10 Mcycles |
| Maximum Operating Rate | 2400 cyc/h 55 °C |

Complementary

| Coil Technology | Without built-in suppressor module |
|---------------------------------|---|
| Control Circuit Voltage Limits | Operational: 0.851.1 Uc (at 55 °C) Drop-out: 0.20.55 Uc (at 55 °C) |
| Inrush Power In Va | 690855 VA 40400 Hz (at 20 °C) |
| Hold-In Power Consumption In Va | 6.68.1 VA 40400 Hz (at 20 °C) |
| Heat Dissipation | 5.97.2 W |

Environment

| Ambient Air Temperature For Operation | -555 °C |
|---------------------------------------|---------|
| Net Weight | 0.43 ka |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|---------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 7.4 cm |
| Package 1 Width | 10.4 cm |

| Package 1 Length | 17.8 cm |
|------------------------------|----------|
| Package 1 Weight | 527 g |
| Unit Type Of Package 2 | S03 |
| Number Of Units In Package 2 | 14 |
| Package 2 Height | 30 cm |
| Package 2 Width | 30 cm |
| Package 2 Length | 40 cm |
| Package 2 Weight | 7.564 kg |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| Reach Free Of Svhc | |
|----------------------------|--|
| Mercury Free | |
| Rohs Exemption Information | Yes |
| | |
| Reach Regulation | REACh Declaration |
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| China Rohs Regulation | China RoHS declaration |