



PowerLogic PM8000 - I/O Module - Digital - 6 Inputs + 2 relays outputs

Local distributor code: 402717991

METSEPM89M2600

EAN Code: 3606480701993

Main

Range	PowerLogic	
Product Or Component Type	I/O module	
Device Application	Optional expansion module	
Range Compatibility	PowerLogic PowerLogic PM8000 PowerLogic PowerLogic ION7400 PowerLogic PowerLogic ION9000	

Complementary

Number Of Outputs	2 form C relay output
Number Of Inputs	6 digital
Width	22 mm
Depth	90.5 mm
Height	90.5 mm
Net Weight	140 g

Environment

Ambient Air Temperature For Operation	-2570 °C
Ambient Air Temperature For Storage	-4085 °C
Ip Degree Of Protection	IP30 conforming to IEC 60529

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.0 cm
Package 1 Width	12.0 cm
Package 1 Length	6.0 cm
Package 1 Weight	223.0 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	15
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.7 kg

Unit Type Of Package 3	P12
Number Of Units In Package 3	750
Package 3 Height	95.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	194.0 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information