## **Product datasheet**

Specifications



# Spacial SF external fixing side panels - 1200x800 mm

Local distributor code: 22144766

NSY2SP128

() Discontinued on: 9 Feb 2023

EAN Code: 3606485119809

#### Main

Spacial
Enclosure accessory
Side panel
Multi-purpose
-
Sides of enclosure
Set of 1

#### Complementary

Range Compatibility	Spacial Spacial SF
Device Composition	fixing elements 2 side panel
Material	Steel
Colour	Grey (RAL 7035)
Surface Finish	Epoxy-polyester powder
Fixing Mode	By screws - screw type captive - from the outside of enclosure location
Height	Nominal: 1200 mm
Width	Nominal: 800 mm

#### **Packing Units**

<u>~</u>	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	77.5 cm
Package 1 Length	120.0 cm
Package 1 Weight	21.8 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	12
Package 2 Height	72.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm

Package 2 Weight

#### Logistical informations

Country Of Origin

ES

## Contractual warranty

Warranty

18 months

### Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations