Product datasheet

Specifications





S3D Replacement lock.

Local distributor code: 392863366

NSYAEDLS3DRL

EAN Code: 3606480168857

Main

Range	Spacial
Product Or Component Type	Locking system

Complementary

-	
Accessory / Separate Part Category	Locking accessory
Accessory / Separate Part Type	Escutcheon lock
Device Application	Multi-purpose
Mounting Support	Direct mounting on door
Range Compatibility	Spacial Spacial S3D
Device Composition	1 shape insert 1 key 1 escutcheon with lock 1 cam
Quantity Per Set	Set of 1
Net Weight	0.05 kg
Lock Type	Lock 3 mm double bar
Key Number	-

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	5.0 cm
Package 1 Length	10.0 cm
Package 1 Weight	50.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	20.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	5.262 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	2000

Package 3 Height	48.0 cm	
Package 3 Width	100.0 cm	
Package 3 Length	120.0 cm	
Package 3 Weight	125.0 ka	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations