Product datasheet

Specification





Set of 2 supports 500x400 mm and 1 DIN rail. For mounting in S3D enclosure.

Local distributor code: 398240776

NSYAMRD54

! Discontinued on: 14 Feb 2023

(!) Discontinued

EAN Code: 3606480200786

Main

Anwendung	Terminal application	
Range	Spacial	
Product Or Component Type	Din rail support	
Accessory / Separate Part Category	Mounting accessory	
Type Of Rail	DIN	
Enclosure Nominal Dimensions	-	
Mounting Support	Direct fixing on backstuds	
Range Compatibility	Spacial Spacial CRN Spacial Spacial S3D Spacial Spacial S3DB Spacial Spacial S3X	
Device Composition	2 support rail 1 symmetrical DIN rail	
Quantity Per Set	Set of 1	

Complementary

Material	Galvanised steel	
Fixing Mode	Screwed on backstuds	
Adjustment	DIN rail adjustment in height, pitch 12.5 mm	
Height	Nominal: 500 mm Real: 450 mm	
Width	Nominal: 400 mm Real: 347 mm	
Net Weight	1.15 kg	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	15 cm
Package 1 Length	49 cm
Package 1 Weight	1.18 kg

Contractual warranty

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile