Product datasheet

Specifications

Green Premium™

Symmetrical DIN rail H35D7.5mm - Length 600mm for spacial SBM

Local distributor code:
397091078   NSYAMRD60357SB

EAN Code: 3606480520747

Main

Anwendung	Multi-purpose
Range	Spacial
Product Or Component Type	Rail
Accessory / Separate Part Category	Mounting accessory
Type Of Rail	Symmetrical DIN
Enclosure Nominal Dimensions	-
Mounting Support	Self-tapping screw
Range Compatibility	Spacial Spacial SBM
Device Composition	1 rail
Quantity Per Set	Set of 10

Complementary

Material	Steel
Surface Finish	Zinc coated
Fixing Mode	By screw - screw type Ø5 mm self-tapping screws - rear of enclosure location
Height	35 mm
Width	Nominal: 585 mm Fixing centers: 564 mm
Depth	7.5 mm
Thickness	1 mm
Net Weight	0.199 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.75 cm
Package 1 Width	3.5 cm
Package 1 Length	59.5 cm
Package 1 Weight	199 g

Logistical informations

Country Of Origin	ES

Contractual warranty

Warranty   18 months

Sustainability ![Green Premium™]

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation

REACh Declaration

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

EU RoHS Declaration

China Rohs Regulation

China RoHS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

Product Environmental Profile

Circularity Profile

No need of specific recycling operations