Product datasheet





ClimaSys Exchanger air-water 2500W sides of enclosure

NSYCEWX2K5

Local distributor code:

402654122

! Discontinued on: 9 Feb 2023

EAN Code: 3606480653292

! Discontinued

Main

Range	ClimaSys	
Product Name	ClimaSys CE	
Product Or Component Type	Air-water exchanger	
Mounting Type	Sides of enclosure	
Cooling Power	2500 W	

Complementary

Pressure	5 bar for water	
Pressure Drop	0.3 bar	
Water Flow	Internal circuit: 500 l/h	
Flow Rate	External circuit: 860 m3/h	
Control Type	Thermostat	
Temperature Setting Range	2046 °C	
Ambient Air Temperature For Operation	170 °C outside the enclosure: 2060 °C inside the enclosure:	
Controlled Fluid	rolled Fluid Water	
Fluid Connection Type	nnection Type G 1/2 (female)	
Input Voltage	230 V 50/60 Hz	
[In] Rated Current	0.33 A	
Power Consumption In W	80 W	
Height	External: 901 mm	
Width	External: 398 mm	
Depth	External : 137 mm	
Net Weight	19 kg	
Noise Level	58 dB conforming to EN/ISO 3746	
Protection Type	Thermal protection: T 2 A	
Material	Stainless steel	
Colour	Grey (RAL 7035)	

Environment

Ip Degree Of Protection	IP55 conforming to IEC 60529 (on the internal circuit) IP55 conforming to IEC 60529 (on the external circuit)	
Product Certifications	CE	
Directives	2006/42/EC - machinery 2006/95/EC - low voltage directive 2004/108/EC - electromagnetic compatibility	
Standards	EN 60204-1 EN/ISO 12100 EN 60335-2-40 EN 60335-1	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.7 cm
Package 1 Width	39.8 cm
Package 1 Length	90.1 cm
Package 1 Weight	19.0 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	7
Package 2 Height	117.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	162.0 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
	Mercury Free	
Ø	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information