Product datasheet

-

Specifications



Spacial lower cable guide cross rail - 1000 mm

.

Local distributor code: 13314136

NSYCFP100

EAN Code: 3606480063251

Main

Range	Spacial
Category	Cabling accessory
Product Or Component Type	Cable guide
Application	Multi-purpose
Nominal Dimensions Of The Housing	_

Complementary

·	
Mounting Location	On structure of enclosure
Range Compatibility	Spacial Spacial SF Spacial Spacial SM Spacial Spacial SFX Spacial Spacial SMX
Device Composition	fixing elements 1 rail
Quantity Per Set	Set of 1
Material	Galvanised steel
Adjustment	Adjustable in depth every 25 mm
Fixing Center	950 mm
Width	Nominal: 1000 mm

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	8.0 cm
Package 1 Length	127.0 cm
Package 1 Weight	2.392 kg
Unit Type Of Package 2	РАМ
Number Of Units In Package 2	60
Package 2 Height	50.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	150.0 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations