Product datasheet

Specifications

Green Premium™

Discontinued

ClimaSys heating resistance ventil. 250W, 115V aluminium

Local distributor code:

398243388 NSYCR250W115VV

Discontinued on: 11 Aug 2023

EAN Code: 3606480152450

Main

Range	ClimaSys
Product Name	ClimaSys CR
Product Or Component Type	Resistance heater with fan
Power Range	250 W
Input Voltage	115 V AC 50/60 Hz

Complementary

Operating Position	Vertical
Ambient Air Temperature For Operation	-40…70 °C
Ip Degree Of Protection	IP20
Product Certifications	UL VDE
Material	Body: extruded aluminium
Height	200 mm
Width	105 mm
Depth	100 mm
Condition Of Use	Electrical protection is needed Air sealed enclosure Heaters must be installed with a thermal controller
Fixing Mode	By clips
Mounting Support	35 mm DIN rail

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.5 cm
Package 1 Width	11 cm
Package 1 Length	20 cm
Package 1 Weight	974 g

Contractual warranty

Warranty	18 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations