Product datasheet

Specification





ClimaSys standard cooling unit side of enclosure - 3850W at 400

Local distributor code: 402654520

4520 NSYCU4K3P4UL

! Discontinued on: 9 Feb 2023

(!) Discontinued

EAN Code: 3606480653865

Main

Range	ClimaSys	
Product Name	CU	
Product Or Component Type	Cooling unit	
Mounting Type	Side	
Installation	Indoor side	
Product Destination	For enclosure	
Mounting Mode	By screws	
Supply Voltage	460 V AC at 60 Hz, 3 phases	
Rated Power	4300 W	
Cooling Power	13140 Btu/h 60 Hz L35-L35 9790 Btu/h 60 Hz L35-L50	

Complementary

J		
Height	ht 1270 mm	
Width	500 mm	
Depth	336 mm	
[In] Rated Current	3.6 A	
Inrush Current	18 A	
Power Consumption In W	1780 W at 60 Hz, L35-L35 2050 W at 60 Hz, L35-L50	
Energy Efficiency Ratio	2.2	
Control Type Electronic controller		
Temperature Setting Range	2045 °C	
Ambient Air Temperature For Operation	2045 °C outside the enclosure: 45 °C maximum: 2045 °C inside the enclosure:	
Noise Level	70 dB	
Pressure	25 bar	
Internal circuit: 1450 m3/h at 60 Hz External circuit: 1450 m3/h at 60 Hz		
Net Weight	85 kg	
Cooling Gas Type	R134a (1.14 kg)	
Type Of Filter	Optional external circuit filter	

Protection Type	Thermal protection: T 8 A Short-circuit protection (magnetic):
Material	Steel
Colour	Grey (RAL 7035)

Environment

Product Certifications	UL	
Standards	DIN 3168	
Ip Degree Of Protection	IP55 conforming to IEC 60529 (on the internal circuit) IP34 conforming to IEC 60529 (on the external circuit)	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	33.6 cm
Package 1 Width	50.0 cm
Package 1 Length	127.0 cm
Package 1 Weight	85.0 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	2
Package 2 Height	162.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	212.5 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information