Product datasheet

Specification





ClimaSys outdoor cooling unit side of enclosure - 820W at 230 V

Local distributor code:

402656191

NSYCUHD800

! Discontinued on: 23 Nov 2023

! End-of-service on: 23 Feb 2024

① Discontinued

EAN Code: 3606480676802

Main

Range	ClimaSys	
Product Name	CU	
Product Or Component Type	Cooling unit	
Mounting Type	Side	
Installation	Outdoor side	
Product Destination	For enclosure	
Mounting Mode	By screws	
Supply Voltage	230 V AC at 50/60 Hz, 1 phase	
Rated Power	820 W	
Cooling Power	820 W 50/60 Hz L35-L35 680 W 50/60 Hz L35-L50	

Complementary

J		
Height	783 mm	
Width	348 mm	
Depth	215 mm	
[In] Rated Current	2.6 A	
Inrush Current	10.8 A	
Power Consumption In W	440 W at 50/60 Hz, L35-L35 490 W at 50/60 Hz, L35-L50	
Energy Efficiency Ratio	1.8	
Control Type	Mechanical	
Temperature Setting Range	2055 °C	
Ambient Air Temperature For Operation	2046 °C inside the enclosure: 55 °C maximum: -2055 °C at 50/60 Hz outside the enclosure:	
Noise Level	65 dB conforming to EN/ISO 3746	
Pressure	25 bar	
Flow Rate	Internal circuit: 330 m3/h at 50/60 Hz External circuit: 570 m3/h at 50/60 Hz	
Net Weight	27 kg	
Cooling Gas Type	R134a (0.23 kg)	

-	
Type Of Filter	Optional external circuit filter
Protection Type	Thermal protection: T 6 A Short-circuit protection (magnetic):
Material	Steel
Colour	Grey (RAL 7035)

Environment

Product Certifications	CE
Directives	2006/95/EC - low voltage directive 2004/108/EC - electromagnetic compatibility 2006/42/EC - machinery
Standards	EN 378
	EN 60335-1 EN/ISO 12100
	EN 60335-2-40
	EN 60204-1
Ip Degree Of Protection	IP55 conforming to IEC 60529 (on the internal circuit) IP34 conforming to IEC 60529 (on the external circuit)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	21.5 cm
Package 1 Width	34.8 cm
Package 1 Length	78.3 cm
Package 1 Weight	27.0 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	6
Package 2 Height	110.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	200.0 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information