# **Product datasheet**






## ClimaSys indoor slim cooling unit block stainless steel - 2000W at 460 V - UL

Local distributor code: 402656418

NSYCUSX2K3P4UL

! Discontinued on: 9 Feb 2023



EAN Code: 3606480685736

#### Main

Range	ClimaSys	
Product Name	CU	
Product Or Component Type	Slim cooling unit block	
Mounting Type	Door of enclosure	
Installation	Indoor side	
Product Destination	For enclosure	
Mounting Mode	By screws	
Supply Voltage	460 V AC at 60 Hz, 3 phases	
Rated Power	2300 W	
Cooling Power	6824 Btu/h 60 Hz L35-L35 5289 Btu/h 60 Hz L35-L50	

### Complementary

J		
Height	1696 mm	
Width	495 mm	
Depth	195 mm	
[In] Rated Current	2.1 A	
Inrush Current	10 A	
Power Consumption In W	1060 W at 60 Hz, L35-L35 1270 W at 60 Hz, L35-L50	
Energy Efficiency Ratio	1.9	
Control Type Electronic controller		
Temperature Setting Range	2050 °C	
Ambient Air Temperature For Operation	50 °C maximum: 2046 °C inside the enclosure: 2050 °C outside the enclosure:	
Noise Level	67 dB conforming to EN/ISO 3746	
Pressure	28 bar	
Flow Rate	External circuit: 1050 m3/h at 60 Hz Internal circuit: 860 m3/h at 60 Hz	
Net Weight	65 kg	
Cooling Gas Type	R134a (0.59 kg)	
Type Of Filter Optional external circuit filter		

Protection Type	Thermal protection: T 6 A Short-circuit protection (magnetic):	
Material	Stainless steel	
Colour	Grey (RAL 7035)	

### **Environment**

Product Certifications	UL
Ip Degree Of Protection	IP55 conforming to IEC 60529 (on the internal circuit) IP34 conforming to IEC 60529 (on the external circuit)

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	169.6 cm
Package 1 Width	19.5 cm
Package 1 Length	49.5 cm
Package 1 Weight	65.0 kg

### **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information