Product datasheet

Specifications





2 side panels for plinth. 400x200mm. Folded sheet steel. RAL 7022. IP 30. IK 10.

Local distributor code:
398323583 NSYSPS4200SD

EAN Code: 3606480163104

Main

Range	Spacial
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Plinth side panel
Application	Multi-purpose
Nominal Dimensions Of The Housing	-
Device Composition	fixing elements 4 corner cover 4 side panel
Range Compatibility	Spacial Spacial SD Spacial Spacial S3D
Mounting Support	Front plinth

Complementary

Fixing Mode	By screws
Material	Sheet steel
Colour	Grey (RAL 7022)
Surface Finish	Epoxy-polyester powder
Height	200 mm
Width	Nominal: 400 mm
Depth	400 mm

Environment

Ip Degree Of Protection	IP30 (complete plinth)
Ik Degree Of Protection	IK10 (resistance to external mechanical impacts)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.0 cm
Package 1 Width	21.0 cm
Package 1 Length	21.5 cm
Package 1 Weight	1.832 kg

3 May 2024 Life Is On Schneider

Contractual warranty

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations