# **Product datasheet**

Specifications





# Set of 50 caps for holes of hinges on Spacial S3D Local distributor code:

Local distributor code: 398324414

NSYSWMCH

EAN Code: 3606480485336

#### Main

Range	Spacial
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Blanking plug
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Mounting Location	On enclosure
Quantity Per Set	Set of 1

# Complementary

	-
Range Compatibility	Spacial Spacial S3D
Device Composition	50 plug
Material	Plastic
Net Weight	0.012 kg
Colour	Grey (RAL 7035)
Fixing Mode	Clipped
Height	8.25 mm
Width	11 mm
Depth	11 mm

### **Packing Units**

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.0 cm
Package 1 Width	9.0 cm
Package 1 Length	9.0 cm
Package 1 Weight	12.0 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	100
Package 2 Height	20.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm

Package 2 Weight

#### **Contractual warranty**

Warranty

18 months

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations