Product datasheet

Specification





PC box IP66 IK08 RAL7035 Int.H325W275D120 Ext.H341W291D128 opaque PC cover H20

Local distributor code:

387531894 NSYTBP342912

EAN Code: 3606480165764

Main

Range	Thalassa	
Product Name	Thalassa TBP	
Device Application	Multi-purpose	
Category	Industrial box	
Height	341 mm	
Width	291 mm	
Depth	128 mm	
Internal Height 325 mm		
Internal Width	275 mm	
Internal Depth	120 mm	
Enclosure Mounting	Wall mounted	
Device Composition	1 body 1 cover 4 cover screw	
Body Type	One piece moulded	
Type Of Front Cover	Low plain cover	
Cover Fixing	Plastic screws	
Lock Type	Captive screw flat outside sealed area	
Removable Parts	Cover by captive screws	

Complementary

Material	Polycarbonate	
Colour	Grey (RAL 7035)	
Standards	IEC 62208 UL 508 A	
Product Certifications	TÜV UL	
Electrical Insulation Class	Class II	
Mounting Location	ting Location Outdoor (with canopy or shelter and anticondensation valve)	
Net Weight	Weight 1.16 kg	

Environment

Ip Degree Of Protection IP66 conforming to NEMA 4.4X

Ik Degree Of Protection	IK08 conforming to IEC 62262	
Fire Resistance	960 °C	
Ambient Air Temperature For Storage	-1560 °C	
Operating Temperature	-2580 °C	

Packing Units

Unit Type Of Package 1 PCE Number Of Units In Package 1 1 Package 1 Height 14.0 cm Package 1 Width 30.0 cm Package 1 Length 35.5 cm Package 1 Weight 1.57 kg Unit Type Of Package 2 CAR Number Of Units In Package 2 4 Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Weight 120.0 cm Package 3 Length 102.5 kg	r doming office	
Package 1 Height 14.0 cm Package 1 Width 30.0 cm Package 1 Length 35.5 cm Package 1 Weight 1.57 kg Unit Type Of Package 2 CAR Number Of Units In Package 2 4 Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Width 80.0 cm Package 3 Width 80.0 cm	Unit Type Of Package 1	PCE
Package 1 Width 30.0 cm Package 1 Length 35.5 cm Package 1 Weight 1.57 kg Unit Type Of Package 2 CAR Number Of Units In Package 2 4 Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Width 80.0 cm	Number Of Units In Package 1	1
Package 1 Length 35.5 cm Package 1 Weight 1.57 kg Unit Type Of Package 2 CAR Number Of Units In Package 2 4 Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Unith 80.0 cm Package 3 Length 120.0 cm	Package 1 Height	14.0 cm
Package 1 Weight 1.57 kg Unit Type Of Package 2 CAR Number Of Units In Package 2 Package 2 Height 40.0 cm Package 2 Weight 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 1 Width	30.0 cm
Unit Type Of Package 2 Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 1 Length	35.5 cm
Number Of Units In Package 2 4 Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 1 Weight	1.57 kg
Package 2 Height 40.0 cm Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Unit Type Of Package 2	CAR
Package 2 Width 40.0 cm Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Number Of Units In Package 2	4
Package 2 Length 60.0 cm Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 2 Height	40.0 cm
Package 2 Weight 7.058 kg Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 2 Width	40.0 cm
Unit Type Of Package 3 P12 Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 2 Length	60.0 cm
Number Of Units In Package 3 48 Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Package 2 Weight	7.058 kg
Package 3 Height 136.0 cm Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Unit Type Of Package 3	P12
Package 3 Width 80.0 cm Package 3 Length 120.0 cm	Number Of Units In Package 3	48
Package 3 Length 120.0 cm	Package 3 Height	136.0 cm
	Package 3 Width	80.0 cm
Package 3 Weight 102.5 kg	Package 3 Length	120.0 cm
	Package 3 Weight	102.5 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information