Product datasheet





Plastic window with hinged transparent cover. IP 65, L78xW235xD25mm.

Local distributor code: 398326014 NSYVA2712MA

EAN Code: 3606480185243

Main

Range	Thalassa
Accessory / Separate Part Category	Installation accessory
Product Or Component Type	Window
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Range Compatibility	Thalassa Thalassa PLA Thalassa Thalassa PLM Spacial Spacial S3D Spacial Spacial CRN Thalassa Thalassa PLS
Accessory / Separate Part Destination	For modular device
Mounting Location	Installation on door or panel
Device Composition	1 complete window
Material	Transparent polycarbonate
Lock Type	Possibility to seal it Lock without key
Total Number Of 18 Mm Modules	12

Complementary

Height	78 mm
Width	235 mm
Depth	25 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	26 cm
Package 1 Width	10 cm
Package 1 Length	3 cm
Package 1 Weight	9 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	400
Package 2 Height	120 cm
Package 2 Width	80 cm

Package 2 Length	105 cm
Package 2 Weight	84 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations