Product datasheet

Specifications





TeSys Vario enclosed, empty enclosure for VN12-VN20 V02-V2, black handle, IP65

Local distributor code: 389855552

VBFXGE1

EAN Code: 3389110602890

Main

Range	TeSys
Device Short Name	VBFX
Product Or Component Type	Enclosure
Product Compatibility	VN20 VN12 V02V2

Complementary

e emprementar j	
Handle Colour	Black
Handle Front Plate Colour	Black
Rotary Handle Padlocking	With
[Ithe] Conventional Enclosed	10 A
Thermal Current	16 A
	20 A
	32 A
	25 A
Environmental Characteristic	Standard environment
Height	146 mm
Width	90 mm
Depth	131 mm
Net Weight	0.34 kg

Environment

Ip Degree Of Protection

IP65

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.300 cm
Package 1 Width	15.700 cm
Package 1 Length	10.700 cm
Package 1 Weight	357.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	7
Package 2 Height	30.000 cm

Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.969 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations