Product datasheet

Specifications

Uni-Telway/Modbus serial link - L = 2.5 m - 1 male mini DIN + 1 RJ45

Local distributor code:
387270359

XBTZ9780

EAN Code: 3389119003582

Main

Range Of Product	Harmony XBT
Accessory / Separate Part Category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Accessory / Separate Part Designation	Uni-Telway/Modbus serial link
Accessory / Separate Part Destination	XBT terminal Small touch screen panel
Cable Length	2.5 m

Complementary

Product Compatibility	XBTGT1... XBTRT511 XBTR400 XBTGK.... XBTRT500 XBTN400 XBTN200
Range Compatibility	Harmony HMI GTO Modicon TSX Micro Twido Harmony STO & STU Modicon Premium automation platform
Electrical Connection	1 male connector mini DIN, 8 pins 1 male connector RJ45
Communication Port Protocol	Modbus Uni-Telway
Physical Interface	RS485
Net Weight	0.18 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.8 cm
Package 1 Width	16.5 cm
Package 1 Length	14.2 cm
Package 1 Weight	114.0 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	25
Package 2 Height	15 cm

Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	3.305 kg

Contractual warranty

Warranty	18 months

Life Is On | Schneider Electric

Sustainability

Green Premium^TM label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

✅ Reach Free Of Svhc

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins