Product datasheet

Specifications

yellow metal padlockable guard for Ø40 mushroom head

Local distributor code:

386311439   ZBZ1605

EAN Code: 3389110099492

Main

Range Of Product	Harmony XB4 Harmony XB5
Product Or Component Type	Guard
Accessory / Separate Part Category	Isolation accessory
Product Compatibility	XB5AS... XB5AT... XB4BS... XB4BT...
Accessory / Separate Part Destination	Ø 40 mm emergency stop push-button For standard head
Colour	Yellow
Quantity Per Set	Set of 1

Complementary

Material	Metal
Net Weight	0.046 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	4.400 cm
Package 1 Length	5.200 cm
Package 1 Weight	59.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	5.700 cm
Package 2 Width	4.400 cm
Package 2 Length	26.500 cm
Package 2 Weight	295.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	160
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm

Package 3 Length	40.000 cm
Package 3 Weight	9.880 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                      EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Environmental Disclosure   Product Environmental Profile

Circularity Profile   End of Life Information